



# LINTELS BRACKETS

Brackets are supplied with fixing holes to suit metal expansion anchor sizes as specified below.



Item Number	Description	Height (mm)	Width (mm)	Thickness (mm)	Length (mm)	Material
SOLI_F_00050293	Lintel Straight Perforated	100	100	1.80	1300	GI (Galvanized Steel)
SOLI_F_00039638	Lintel Straight Perforated	100	100	1.80	1400	GI (Galvanized Steel)
SOLI_F_00060931	Lintel Straight Perforated	100	100	1.80	1500	GI (Galvanized Steel)
SOLI_F_00065949	Lintel Straight Perforated	100	100	2.50	1600	GI (Galvanized Steel)
SOLI_F_00065929	Lintel Straight Perforated	100	100	2.50	1800	GI (Galvanized Steel)
SOLI_F_00081689	Lintel Straight Perforated	100	100	2.50	2000	GI (Galvanized Steel)
SOLI_F_00065941	Lintel Straight Perforated	100	100	2.50	2200	GI (Galvanized Steel)
SOLI_F_00063931	Lintel Straight Perforated	100	100	2.80	2200	GI (Galvanized Steel)
SOLI_F_00063707	Lintel Straight Perforated	100	100	2.80	2300	GI (Galvanized Steel)
SOLI_F_00063715	Lintel Straight Perforated	100	100	2.80	2400	GI (Galvanized Steel)
SOLI_F_00063723	Lintel Straight Perforated	100	100	2.80	2600	GI (Galvanized Steel)
SOLI_F_00008672	Lintel Straight Perforated	100	100	3.0	2400	GI (Galvanized Steel)
SOLI_F_00082195	Lintel Straight Perforated	100	100	3.0	2650	GI (Galvanized Steel)
SOLI_F_00097895	Lintel Straight Perforated	100	100	3.80	2400	GI (Galvanized Steel)
SOLI_F_00095765	Lintel Straight Perforated	100	100	4.00	2400	GI (Galvanized Steel)
SOLI_F_00004056	Lintel Straight Perforated	100	50	1.50	1000	GI (Galvanized Steel)
SOLI_F_00004448	Lintel Straight Perforated	100	50	1.50	1100	GI (Galvanized Steel)
SOLI_F_00004496	Lintel Straight Perforated	100	50	1.50	1200	GI (Galvanized Steel)
SOLI_F_00045990	Lintel Straight Perforated	100	50	1.50	1300	GI (Galvanized Steel)
SOLI_F_00004592	Lintel Straight Perforated	100	50	1.50	1400	GI (Galvanized Steel)
SOLI_F_00004784	Lintel Straight Perforated	100	50	1.50	1500	GI (Galvanized Steel)
SOLI_F_00059401	Lintel Straight Perforated	100	50	1.50	4010	GI (Galvanized Steel)
SOLI_F_00059393	Lintel Straight Perforated	100	50	1.50	4020	GI (Galvanized Steel)
SOLI_F_00059409	Lintel Straight Perforated	100	50	1.50	4210	GI (Galvanized Steel)
SOLI_F_00004088	Lintel Straight Perforated	100	50	1.80	1000	GI (Galvanized Steel)
SOLI_F_00050377	Lintel Straight Perforated	100	50	1.80	1050	GI (Galvanized Steel)
SOLI_F_00004456	Lintel Straight Perforated	100	50	1.80	1100	GI (Galvanized Steel)
SOLI_F_00050369	Lintel Straight Perforated	100	50	1.80	1150	GI (Galvanized Steel)
SOLI_F_00004504	Lintel Straight Perforated	100	50	1.80	1200	GI (Galvanized Steel)
SOLI_F_00104459	Lintel Straight Perforated	100	50	1.80	1240	GI (Galvanized Steel)
SOLI_F_00050355	Lintel Straight Perforated	100	50	1.80	1250	GI (Galvanized Steel)
SOLI_F_00004552	Lintel Straight Perforated	100	50	1.80	1300	GI (Galvanized Steel)
SOLI_F_00096105	Lintel Straight Perforated	100	50	1.80	1350	GI (Galvanized Steel)
SOLI_F_00004600	Lintel Straight Perforated	100	50	1.80	1400	GI (Galvanized Steel)
SOLI_F_00096113	Lintel Straight Perforated	100	50	1.80	1450	GI (Galvanized Steel)
SOLI_F_00004792	Lintel Straight Perforated	100	50	1.80	1500	GI (Galvanized Steel)
SOLI_F_00042310	Lintel Straight Perforated	100	50	1.80	1550	GI (Galvanized Steel)
SOLI_F_00004840	Lintel Straight Perforated	100	50	1.80	1600	GI (Galvanized Steel)
SOLI_F_00068673	Lintel Straight Perforated	100	50	1.80	1650	GI (Galvanized Steel)
SOLI_F_00004888	Lintel Straight Perforated	100	50	1.80	1700	GI (Galvanized Steel)
SOLI_F_00095565	Lintel Straight Perforated	100	50	1.80	1800	GI (Galvanized Steel)
SOLI_F_00004984	Lintel Straight Perforated	100	50	1.80	1900	GI (Galvanized Steel)
SOLI_F_00005024	Lintel Straight Perforated	100	50	1.80	2000	GI (Galvanized Steel)
SOLI_F_00005072	Lintel Straight Perforated	100	50	1.80	2100	GI (Galvanized Steel)

Item Number	Description	Height (mm)	Width (mm)	Thickness (mm)	Length (mm)	Material
SOLI_F_00005120	Lintel Straight Perforated	100	50	1.80	2200	GI (Galvanized Steel)
SOLI_F_00005168	Lintel Straight Perforated	100	50	1.80	2300	GI (Galvanized Steel)
SOLI_F_00005216	Lintel Straight Perforated	100	50	1.80	2400	GI (Galvanized Steel)
SOLI_F_00005272	Lintel Straight Perforated	100	50	1.80	2500	GI (Galvanized Steel)
SOLI_F_00005320	Lintel Straight Perforated	100	50	1.80	2600	GI (Galvanized Steel)
SOLI_F_00005368	Lintel Straight Perforated	100	50	1.80	2700	GI (Galvanized Steel)
SOLI_F_00005416	Lintel Straight Perforated	100	50	1.80	2800	GI (Galvanized Steel)
SOLI_F_00005486	Lintel Straight Perforated	100	50	1.80	2900	GI (Galvanized Steel)
SOLI_F_00005534	Lintel Straight Perforated	100	50	1.80	3000	GI (Galvanized Steel)
SOLI_F_00077201	Lintel Straight Perforated	100	50	1.80	750	GI (Galvanized Steel)
SOLI_F_00063907	Lintel Straight Perforated	100	50	1.80	800	GI (Galvanized Steel)
SOLI_F_00047540	Lintel Straight Perforated	100	50	1.80	850	GI (Galvanized Steel)
SOLI_F_00051229	Lintel Straight Perforated	100	50	1.80	900	GI (Galvanized Steel)
SOLI_F_00004072	Lintel Straight Perforated	100	50	2.00	1000	GI (Galvanized Steel)
SOLI_F_00004464	Lintel Straight Perforated	100	50	2.00	1100	GI (Galvanized Steel)
SOLI_F_00107777	Lintel Straight Perforated	100	50	2.00	1150	GI (Galvanized Steel)
SOLI_F_00004512	Lintel Straight Perforated	100	50	2.00	1200	GI (Galvanized Steel)
SOLI_F_00042476	Lintel Straight Perforated	100	50	2.00	1250	GI (Galvanized Steel)
SOLI_F_00004560	Lintel Straight Perforated	100	50	2.00	1300	GI (Galvanized Steel)
SOLI_F_00042468	Lintel Straight Perforated	100	50	2.00	1350	GI (Galvanized Steel)
SOLI_F_00004608	Lintel Straight Perforated	100	50	2.00	1400	GI (Galvanized Steel)
SOLI_F_00082179	Lintel Straight Perforated	100	50	2.00	1440	GI (Galvanized Steel)
SOLI_F_00073995	Lintel Straight Perforated	100	50	2.00	1450	GI (Galvanized Steel)
SOLI_F_00004800	Lintel Straight Perforated	100	50	2.00	1500	GI (Galvanized Steel)
SOLI_F_00060027	Lintel Straight Perforated	100	50	2.00	1550	GI (Galvanized Steel)
SOLI_F_00060257	Lintel Straight Perforated	100	50	2.00	1600	GI (Galvanized Steel)
SOLI_F_00042492	Lintel Straight Perforated	100	50	2.00	1650	GI (Galvanized Steel)
SOLI_F_00004896	Lintel Straight Perforated	100	50	2.00	1700	GI (Galvanized Steel)
SOLI_F_00004944	Lintel Straight Perforated	100	50	2.00	1800	GI (Galvanized Steel)
SOLI_F_00004992	Lintel Straight Perforated	100	50	2.00	1900	GI (Galvanized Steel)
SOLI_F_00005032	Lintel Straight Perforated	100	50	2.00	2000	GI (Galvanized Steel)
SOLI_F_00005080	Lintel Straight Perforated	100	50	2.00	2100	GI (Galvanized Steel)
SOLI_F_00005128	Lintel Straight Perforated	100	50	2.00	2200	GI (Galvanized Steel)
SOLI_F_00005176	Lintel Straight Perforated	100	50	2.00	2300	GI (Galvanized Steel)
SOLI_F_00005224	Lintel Straight Perforated	100	50	2.00	2400	GI (Galvanized Steel)
SOLI_F_00005280	Lintel Straight Perforated	100	50	2.00	2500	GI (Galvanized Steel)
SOLI_F_00005328	Lintel Straight Perforated	100	50	2.00	2600	GI (Galvanized Steel)
SOLI_F_00005376	Lintel Straight Perforated	100	50	2.00	2700	GI (Galvanized Steel)
SOLI_F_00005424	Lintel Straight Perforated	100	50	2.00	2800	GI (Galvanized Steel)
SOLI_F_00005494	Lintel Straight Perforated	100	50	2.00	2900	GI (Galvanized Steel)
SOLI_F_00005542	Lintel Straight Perforated	100	50	2.00	3000	GI (Galvanized Steel)
SOLI_F_00081649	Lintel Straight Perforated	100	50	2.00	450	GI (Galvanized Steel)
SOLI_F_00081665	Lintel Straight Perforated	100	50	2.00	750	GI (Galvanized Steel)
SOLI_F_00081681	Lintel Straight Perforated	100	50	2.00	800	GI (Galvanized Steel)

Item Number	Description	Height (mm)	Width (mm)	Thickness (mm)	Length (mm)	Material
SOLI_F_00042484	Lintel Straight Perforated	100	50	2.00	950	GI (Galvanized Steel)
SOLI_F_00004080	Lintel Straight Perforated	100	50	2.50	1000	GI (Galvanized Steel)
SOLI_F_00004472	Lintel Straight Perforated	100	50	2.50	1100	GI (Galvanized Steel)
SOLI_F_00004520	Lintel Straight Perforated	100	50	2.50	1200	GI (Galvanized Steel)
SOLI_F_00004568	Lintel Straight Perforated	100	50	2.50	1300	GI (Galvanized Steel)
SOLI_F_00004616	Lintel Straight Perforated	100	50	2.50	1400	GI (Galvanized Steel)
SOLI_F_00004808	Lintel Straight Perforated	100	50	2.50	1500	GI (Galvanized Steel)
SOLI_F_00004856	Lintel Straight Perforated	100	50	2.50	1600	GI (Galvanized Steel)
SOLI_F_00004904	Lintel Straight Perforated	100	50	2.50	1700	GI (Galvanized Steel)
SOLI_F_00004952	Lintel Straight Perforated	100	50	2.50	1800	GI (Galvanized Steel)
SOLI_F_00005000	Lintel Straight Perforated	100	50	2.50	1900	GI (Galvanized Steel)
SOLI_F_00005040	Lintel Straight Perforated	100	50	2.50	2000	GI (Galvanized Steel)
SOLI_F_00005088	Lintel Straight Perforated	100	50	2.50	2100	GI (Galvanized Steel)
SOLI_F_00005136	Lintel Straight Perforated	100	50	2.50	2200	GI (Galvanized Steel)
SOLI_F_00051757	Lintel Straight Perforated	100	50	2.50	2300	GI (Galvanized Steel)
SOLI_F_00005240	Lintel Straight Perforated	100	50	2.50	2400	GI (Galvanized Steel)
SOLI_F_00005288	Lintel Straight Perforated	100	50	2.50	2500	GI (Galvanized Steel)
SOLI_F_00005336	Lintel Straight Perforated	100	50	2.50	2600	GI (Galvanized Steel)
SOLI_F_00005384	Lintel Straight Perforated	100	50	2.50	2700	GI (Galvanized Steel)
SOLI_F_00005432	Lintel Straight Perforated	100	50	2.50	2800	GI (Galvanized Steel)
SOLI_F_00005502	Lintel Straight Perforated	100	50	2.50	2900	GI (Galvanized Steel)
SOLI_F_00005550	Lintel Straight Perforated	100	50	2.50	3000	GI (Galvanized Steel)
SOLI_F_00004272	Lintel Straight Perforated	100	50	3.00	1000	GI (Galvanized Steel)
SOLI_F_00004488	Lintel Straight Perforated	100	50	3.00	1100	GI (Galvanized Steel)
SOLI_F_00042422	Lintel Straight Perforated	100	50	3.00	1150	GI (Galvanized Steel)
SOLI_F_00004536	Lintel Straight Perforated	100	50	3.00	1200	GI (Galvanized Steel)
SOLI_F_00004584	Lintel Straight Perforated	100	50	3.00	1300	GI (Galvanized Steel)
SOLI_F_00004632	Lintel Straight Perforated	100	50	3.00	1400	GI (Galvanized Steel)
SOLI_F_00004824	Lintel Straight Perforated	100	50	3.00	1500	GI (Galvanized Steel)
SOLI_F_00004872	Lintel Straight Perforated	100	50	3.00	1600	GI (Galvanized Steel)
SOLI_F_00004912	Lintel Straight Perforated	100	50	3.00	1700	GI (Galvanized Steel)
SOLI_F_00004968	Lintel Straight Perforated	100	50	3.00	1800	GI (Galvanized Steel)
SOLI_F_00005016	Lintel Straight Perforated	100	50	3.00	1900	GI (Galvanized Steel)
SOLI_F_00005056	Lintel Straight Perforated	100	50	3.00	2000	GI (Galvanized Steel)
SOLI_F_00005096	Lintel Straight Perforated	100	50	3.00	2100	GI (Galvanized Steel)
SOLI_F_00005152	Lintel Straight Perforated	100	50	3.00	2200	GI (Galvanized Steel)
SOLI_F_00005200	Lintel Straight Perforated	100	50	3.00	2300	GI (Galvanized Steel)
SOLI_F_00005256	Lintel Straight Perforated	100	50	3.00	2400	GI (Galvanized Steel)
SOLI_F_00005304	Lintel Straight Perforated	100	50	3.00	2500	GI (Galvanized Steel)
SOLI_F_00005344	Lintel Straight Perforated	100	50	3.00	2600	GI (Galvanized Steel)
SOLI_F_00005400	Lintel Straight Perforated	100	50	3.00	2700	GI (Galvanized Steel)
SOLI_F_00005448	Lintel Straight Perforated	100	50	3.00	2800	GI (Galvanized Steel)
SOLI_F_00005518	Lintel Straight Perforated	100	50	3.00	2900	GI (Galvanized Steel)
SOLI_F_00005566	Lintel Straight Perforated	100	50	3.00	3000	GI (Galvanized Steel)

Item Number	Description	Height (mm)	Width (mm)	Thickness (mm)	Length (mm)	Material
SOLI_F_00058223	Lintel Straight Perforated	100	50	4.0	1200	GI (Galvanized Steel)
SOLI_F_00004640	Lintel Straight Perforated	100	50	4.0	1400	GI (Galvanized Steel)
SOLI_F_00004832	Lintel Straight Perforated	100	50	4.0	1500	GI (Galvanized Steel)
SOLI_F_00004880	Lintel Straight Perforated	100	50	4.0	1600	GI (Galvanized Steel)
SOLI_F_00004928	Lintel Straight Perforated	100	50	4.0	1700	GI (Galvanized Steel)
SOLI_F_00004976	Lintel Straight Perforated	100	50	4.0	1800	GI (Galvanized Steel)
SOLI_F_00004064	Lintel Straight Perforated	100	50	4.0	1900	GI (Galvanized Steel)
SOLI_F_00005064	Lintel Straight Perforated	100	50	4.0	2000	GI (Galvanized Steel)
SOLI_F_00005112	Lintel Straight Perforated	100	50	4.0	2100	GI (Galvanized Steel)
SOLI_F_00005160	Lintel Straight Perforated	100	50	4.0	2200	GI (Galvanized Steel)
SOLI_F_00005208	Lintel Straight Perforated	100	50	4.0	2300	GI (Galvanized Steel)
SOLI_F_00005264	Lintel Straight Perforated	100	50	4.0	2400	GI (Galvanized Steel)
SOLI_F_00005312	Lintel Straight Perforated	100	50	4.0	2500	GI (Galvanized Steel)
SOLI_F_00005360	Lintel Straight Perforated	100	50	4.0	2600	GI (Galvanized Steel)
SOLI_F_00005408	Lintel Straight Perforated	100	50	4.0	2700	GI (Galvanized Steel)
SOLI_F_00005456	Lintel Straight Perforated	100	50	4.0	2800	GI (Galvanized Steel)
SOLI_F_00005526	Lintel Straight Perforated	100	50	4.0	2900	GI (Galvanized Steel)
SOLI_F_00005574	Lintel Straight Perforated	100	50	4.0	3000	GI (Galvanized Steel)
SOLI_F_00114191	Lintel Straight Perforated	100	60	3.0	1250	GI (Galvanized Steel)
SOLI_F_00007236	Lintel Straight Perforated	100	75	1.80	1300	GI (Galvanized Steel)
SOLI_F_00007268	Lintel Straight Perforated	100	75	1.80	1400	GI (Galvanized Steel)
SOLI_F_000096325	Lintel Straight Perforated	100	75	1.80	1500	GI (Galvanized Steel)
SOLI_F_00007276	Lintel Straight Perforated	100	75	1.80	1600	GI (Galvanized Steel)
SOLI_F_00007292	Lintel Straight Perforated	100	75	1.80	1700	GI (Galvanized Steel)
SOLI_F_00007300	Lintel Straight Perforated	100	75	1.80	1800	GI (Galvanized Steel)
SOLI_F_00048486	Lintel Straight Perforated	100	75	2.00	1200	GI (Galvanized Steel)
SOLI_F_00007428	Lintel Straight Perforated	100	75	2.00	1300	GI (Galvanized Steel)
SOLI_F_00007372	Lintel Straight Perforated	100	75	2.00	1311	GI (Galvanized Steel)
SOLI_F_00007524	Lintel Straight Perforated	100	75	2.00	1400	GI (Galvanized Steel)
SOLI_F_00007452	Lintel Straight Perforated	100	75	2.00	1500	GI (Galvanized Steel)
SOLI_F_000096129	Lintel Straight Perforated	100	75	2.00	1600	GI (Galvanized Steel)
SOLI_F_00052545	Lintel Straight Perforated	100	75	2.00	1800	GI (Galvanized Steel)
SOLI_F_00082187	Lintel Straight Perforated	100	75	2.00	2000	GI (Galvanized Steel)
SOLI_F_00007532	Lintel Straight Perforated	100	75	2.00	2200	GI (Galvanized Steel)
SOLI_F_00007540	Lintel Straight Perforated	100	75	2.00	2500	GI (Galvanized Steel)
SOLI_F_00054661	Lintel Straight Perforated	100	75	2.00	2700	GI (Galvanized Steel)
SOLI_F_00007548	Lintel Straight Perforated	100	75	2.00	2800	GI (Galvanized Steel)
SOLI_F_00112499	Lintel Straight Perforated	100	75	2.00	3000	GI (Galvanized Steel)
SOLI_F_00053599	Lintel Straight Perforated	100	75	2.5	1200	GI (Galvanized Steel)
SOLI_F_00053587	Lintel Straight Perforated	100	75	2.5	1500	GI (Galvanized Steel)
SOLI_F_00007764	Lintel Straight Perforated	100	75	2.5	1700	GI (Galvanized Steel)
SOLI_F_00007572	Lintel Straight Perforated	100	75	2.5	1800	GI (Galvanized Steel)
SOLI_F_00007580	Lintel Straight Perforated	100	75	2.5	1900	GI (Galvanized Steel)
SOLI_F_00052537	Lintel Straight Perforated	100	75	2.5	2200	GI (Galvanized Steel)



Item Number	Description	Height (mm)	Width (mm)	Thickness (mm)	Length (mm)	Material
SOLI_F_00054669	Lintel Straight Perforated	100	75	2.50	2800	GI (Galvanized Steel)
SOLI_F_00058115	Lintel Straight Perforated	100	75	3.00	1280	GI (Galvanized Steel)
SOLI_F_00058139	Lintel Straight Perforated	100	75	3.00	1290	GI (Galvanized Steel)
SOLI_F_00007980	Lintel Straight Perforated	100	75	3.00	1400	GI (Galvanized Steel)
SOLI_F_00058131	Lintel Straight Perforated	100	75	3.00	1430	GI (Galvanized Steel)
SOLI_F_00081869	Lintel Straight Perforated	100	75	3.00	1450	GI (Galvanized Steel)
SOLI_F_00008252	Lintel Straight Perforated	100	75	3.00	1500	GI (Galvanized Steel)
SOLI_F_00081843	Lintel Straight Perforated	100	75	3.00	1600	GI (Galvanized Steel)
SOLI_F_00073987	Lintel Straight Perforated	100	75	3.00	1950	GI (Galvanized Steel)
SOLI_F_00007988	Lintel Straight Perforated	100	75	3.00	2000	GI (Galvanized Steel)
SOLI_F_00008140	Lintel Straight Perforated	100	75	3.00	2050	GI (Galvanized Steel)
SOLI_F_00065911	Lintel Straight Perforated	100	75	3.00	2100	GI (Galvanized Steel)
SOLI_F_00073979	Lintel Straight Perforated	100	75	3.00	2250	GI (Galvanized Steel)
SOLI_F_00007940	Lintel Straight Perforated	100	75	3.00	2400	GI (Galvanized Steel)
SOLI_F_00060281	Lintel Straight Perforated	100	75	3.00	2500	GI (Galvanized Steel)
SOLI_F_00008156	Lintel Straight Perforated	100	75	3.00	3000	GI (Galvanized Steel)
SOLI_F_00058123	Lintel Straight Perforated	100	75	3.00	840	GI (Galvanized Steel)
SOLI_F_00100309	Lintel Straight Perforated	100	75	3.70	3000	GI (Galvanized Steel)
SOLI_F_00096063	Lintel Straight Perforated	100	75	3.80	1300	GI (Galvanized Steel)
SOLI_F_00094969	Lintel Straight Perforated	100	75	3.80	1650	GI (Galvanized Steel)
SOLI_F_00062781	Lintel Straight Perforated	100	75	3.80	1700	GI (Galvanized Steel)
SOLI_F_00078403	Lintel Straight Perforated	100	80	3.80	2250	GI (Galvanized Steel)
SOLI_F_00093821	Lintel Straight Perforated	100	80	3.00	2250	GI (Galvanized Steel)
SOLI_F_00081859	Lintel Straight Perforated	100	90	3.00	1560	GI (Galvanized Steel)
SOLI_F_00095693	Lintel Straight Perforated	140	100	2.50	2500	GI (Galvanized Steel)
SOLI_F_00095669	Lintel Straight Perforated	140	50	2.00	1200	GI (Galvanized Steel)
SOLI_F_00095677	Lintel Straight Perforated	140	50	2.00	1500	GI (Galvanized Steel)
SOLI_F_00095685	Lintel Straight Perforated	140	75	2.50	2000	GI (Galvanized Steel)
SOLI_F_00059709	Lintel Straight Perforated	150	100	2.00	2000	GI (Galvanized Steel)
SOLI_F_00052573	Lintel Straight Perforated	150	100	2.50	2700	GI (Galvanized Steel)
SOLI_F_00096993	Lintel Straight Perforated	150	100	3.00	1200	GI (Galvanized Steel)
SOLI_F_00096977	Lintel Straight Perforated	150	100	3.00	1700	GI (Galvanized Steel)
SOLI_F_00082623	Lintel Straight Perforated	150	100	3.00	2000	GI (Galvanized Steel)
SOLI_F_00056587	Lintel Straight Perforated	150	100	3.00	2200	GI (Galvanized Steel)
SOLI_F_00072981	Lintel Straight Perforated	150	100	3.00	2400	GI (Galvanized Steel)
SOLI_F_00089151	Lintel Straight Perforated	150	100	4.00	2200	GI (Galvanized Steel)
SOLI_F_00058159	Lintel Straight Perforated	150	100	4.00	2220	GI (Galvanized Steel)
SOLI_F_00058439	Lintel Straight Perforated	150	100	4.00	2220	GI (Galvanized Steel)
SOLI_F_00082639	Lintel Straight Perforated	150	150	3.00	2400	GI (Galvanized Steel)
SOLI_F_00005582	Lintel Straight Perforated	150	50	1.50	1000	GI (Galvanized Steel)
SOLI_F_00007180	Lintel Straight Perforated	150	50	1.50	1100	GI (Galvanized Steel)
SOLI_F_00005638	Lintel Straight Perforated	150	50	1.50	1200	GI (Galvanized Steel)
SOLI_F_00005646	Lintel Straight Perforated	150	50	1.50	1300	GI (Galvanized Steel)
SOLI_F_00005654	Lintel Straight Perforated	150	50	1.50	1400	GI (Galvanized Steel)

Item Number	Description	Height (mm)	Width (mm)	Thickness (mm)	Length (mm)	Material
SOLI_F_00005662	Lintel Straight Perforated	150	50	1.50	1500	GI (Galvanized Steel)
SOLI_F_00005670	Lintel Straight Perforated	150	50	1.80	1000	GI (Galvanized Steel)
SOLI_F_00007188	Lintel Straight Perforated	150	50	1.80	1100	GI (Galvanized Steel)
SOLI_F_00006190	Lintel Straight Perforated	150	50	1.80	1200	GI (Galvanized Steel)
SOLI_F_00047244	Lintel Straight Perforated	150	50	1.80	1250	GI (Galvanized Steel)
SOLI_F_00006198	Lintel Straight Perforated	150	50	1.80	1300	GI (Galvanized Steel)
SOLI_F_00006206	Lintel Straight Perforated	150	50	1.80	1400	GI (Galvanized Steel)
SOLI_F_00006214	Lintel Straight Perforated	150	50	1.80	1500	GI (Galvanized Steel)
SOLI_F_00092297	Lintel Straight Perforated	150	50	1.80	1550	GI (Galvanized Steel)
SOLI_F_00006222	Lintel Straight Perforated	150	50	1.80	1600	GI (Galvanized Steel)
SOLI_F_00042322	Lintel Straight Perforated	150	50	1.80	1650	GI (Galvanized Steel)
SOLI_F_00006230	Lintel Straight Perforated	150	50	1.80	1700	GI (Galvanized Steel)
SOLI_F_00051237	Lintel Straight Perforated	150	50	1.80	1720	GI (Galvanized Steel)
SOLI_F_00006246	Lintel Straight Perforated	150	50	1.80	1900	GI (Galvanized Steel)
SOLI_F_00006254	Lintel Straight Perforated	150	50	1.80	2000	GI (Galvanized Steel)
SOLI_F_00006262	Lintel Straight Perforated	150	50	1.80	2100	GI (Galvanized Steel)
SOLI_F_00006270	Lintel Straight Perforated	150	50	1.80	2200	GI (Galvanized Steel)
SOLI_F_00006278	Lintel Straight Perforated	150	50	1.80	2300	GI (Galvanized Steel)
SOLI_F_00051245	Lintel Straight Perforated	150	50	1.80	2347	GI (Galvanized Steel)
SOLI_F_00006286	Lintel Straight Perforated	150	50	1.80	2400	GI (Galvanized Steel)
SOLI_F_00006294	Lintel Straight Perforated	150	50	1.80	2500	GI (Galvanized Steel)
SOLI_F_00006302	Lintel Straight Perforated	150	50	1.80	2600	GI (Galvanized Steel)
SOLI_F_00006310	Lintel Straight Perforated	150	50	1.80	2700	GI (Galvanized Steel)
SOLI_F_00006318	Lintel Straight Perforated	150	50	1.80	2800	GI (Galvanized Steel)
SOLI_F_00006326	Lintel Straight Perforated	150	50	1.80	2900	GI (Galvanized Steel)
SOLI_F_00006334	Lintel Straight Perforated	150	50	1.80	3000	GI (Galvanized Steel)
SOLI_F_00077209	Lintel Straight Perforated	150	50	1.80	750	GI (Galvanized Steel)
SOLI_F_00077217	Lintel Straight Perforated	150	50	1.80	800	GI (Galvanized Steel)
SOLI_F_00047252	Lintel Straight Perforated	150	50	1.80	850	GI (Galvanized Steel)
SOLI_F_00094705	Lintel Straight Perforated	150	50	1.80	900	GI (Galvanized Steel)
SOLI_F_00006342	Lintel Straight Perforated	150	50	1.80	1000	GI (Galvanized Steel)
SOLI_F_00006350	Lintel Straight Perforated	150	50	1.80	1100	GI (Galvanized Steel)
SOLI_F_00006358	Lintel Straight Perforated	150	50	2.00	1200	GI (Galvanized Steel)
SOLI_F_00079739	Lintel Straight Perforated	150	50	2.00	1250	GI (Galvanized Steel)
SOLI_F_00006366	Lintel Straight Perforated	150	50	2.00	1300	GI (Galvanized Steel)
SOLI_F_00006374	Lintel Straight Perforated	150	50	2.00	1400	GI (Galvanized Steel)
SOLI_F_00006382	Lintel Straight Perforated	150	50	2.00	1500	GI (Galvanized Steel)
SOLI_F_00060265	Lintel Straight Perforated	150	50	2.00	1600	GI (Galvanized Steel)
SOLI_F_00006398	Lintel Straight Perforated	150	50	2.00	1700	GI (Galvanized Steel)
SOLI_F_00006406	Lintel Straight Perforated	150	50	2.00	1800	GI (Galvanized Steel)
SOLI_F_00006414	Lintel Straight Perforated	150	50	2.00	1900	GI (Galvanized Steel)
SOLI_F_00006422	Lintel Straight Perforated	150	50	2.00	2000	GI (Galvanized Steel)
SOLI_F_00006430	Lintel Straight Perforated	150	50	2.00	2100	GI (Galvanized Steel)
SOLI_F_00006438	Lintel Straight Perforated	150	50	2.00	2200	GI (Galvanized Steel)

Item Number	Description	Height (mm)	Width (mm)	Thickness (mm)	Length (mm)	Material
SOLI_F_00006446	Lintel Straight Perforated	150	50	2.00	2300	GI (Galvanized Steel)
SOLI_F_00006454	Lintel Straight Perforated	150	50	2.00	2400	GI (Galvanized Steel)
SOLI_F_00006462	Lintel Straight Perforated	150	50	2.00	2500	GI (Galvanized Steel)
SOLI_F_00006470	Lintel Straight Perforated	150	50	2.00	2600	GI (Galvanized Steel)
SOLI_F_00006478	Lintel Straight Perforated	150	50	2.00	2700	GI (Galvanized Steel)
SOLI_F_00006486	Lintel Straight Perforated	150	50	2.00	2800	GI (Galvanized Steel)
SOLI_F_00006494	Lintel Straight Perforated	150	50	2.00	2900	GI (Galvanized Steel)
SOLI_F_00006502	Lintel Straight Perforated	150	50	2.00	3000	GI (Galvanized Steel)
SOLI_F_00094729	Lintel Straight Perforated	150	50	2.00	450	GI (Galvanized Steel)
SOLI_F_00094721	Lintel Straight Perforated	150	50	2.00	800	GI (Galvanized Steel)
SOLI_F_00077471	Lintel Straight Perforated	150	50	2.00	1800	GI (Galvanized Steel)
SOLI_F_00006534	Lintel Straight Perforated	150	50	2.50	1300	GI (Galvanized Steel)
SOLI_F_00006542	Lintel Straight Perforated	150	50	2.50	1400	GI (Galvanized Steel)
SOLI_F_00006550	Lintel Straight Perforated	150	50	2.50	1500	GI (Galvanized Steel)
SOLI_F_00006558	Lintel Straight Perforated	150	50	2.50	1600	GI (Galvanized Steel)
SOLI_F_00006566	Lintel Straight Perforated	150	50	2.50	1700	GI (Galvanized Steel)
SOLI_F_00006670	Lintel Straight Perforated	150	50	2.50	1800	GI (Galvanized Steel)
SOLI_F_00006574	Lintel Straight Perforated	150	50	2.50	1900	GI (Galvanized Steel)
SOLI_F_00006582	Lintel Straight Perforated	150	50	2.50	2000	GI (Galvanized Steel)
SOLI_F_00006590	Lintel Straight Perforated	150	50	2.50	2100	GI (Galvanized Steel)
SOLI_F_00006598	Lintel Straight Perforated	150	50	2.50	2200	GI (Galvanized Steel)
SOLI_F_00006606	Lintel Straight Perforated	150	50	2.50	2300	GI (Galvanized Steel)
SOLI_F_00006614	Lintel Straight Perforated	150	50	2.50	2400	GI (Galvanized Steel)
SOLI_F_00006622	Lintel Straight Perforated	150	50	2.50	2500	GI (Galvanized Steel)
SOLI_F_00006630	Lintel Straight Perforated	150	50	2.50	2600	GI (Galvanized Steel)
SOLI_F_00006638	Lintel Straight Perforated	150	50	2.50	2700	GI (Galvanized Steel)
SOLI_F_00006646	Lintel Straight Perforated	150	50	2.50	2800	GI (Galvanized Steel)
SOLI_F_00006654	Lintel Straight Perforated	150	50	2.50	299	GI (Galvanized Steel)
SOLI_F_00006662	Lintel Straight Perforated	150	50	2.50	3000	GI (Galvanized Steel)
SOLI_F_00006846	Lintel Straight Perforated	150	50	3.00	1000	GI (Galvanized Steel)
SOLI_F_00006854	Lintel Straight Perforated	150	50	3.00	1100	GI (Galvanized Steel)
SOLI_F_00006862	Lintel Straight Perforated	150	50	3.00	1200	GI (Galvanized Steel)
SOLI_F_00006870	Lintel Straight Perforated	150	50	3.00	1300	GI (Galvanized Steel)
SOLI_F_00006878	Lintel Straight Perforated	150	50	3.00	1400	GI (Galvanized Steel)
SOLI_F_00006886	Lintel Straight Perforated	150	50	3.00	1500	GI (Galvanized Steel)
SOLI_F_00006894	Lintel Straight Perforated	150	50	3.00	1600	GI (Galvanized Steel)
SOLI_F_00006902	Lintel Straight Perforated	150	50	3.00	1700	GI (Galvanized Steel)
SOLI_F_00006910	Lintel Straight Perforated	150	50	3.00	1800	GI (Galvanized Steel)
SOLI_F_00006918	Lintel Straight Perforated	150	50	3.00	1900	GI (Galvanized Steel)
SOLI_F_00006926	Lintel Straight Perforated	150	50	3.00	2000	GI (Galvanized Steel)
SOLI_F_00006934	Lintel Straight Perforated	150	50	3.00	2100	GI (Galvanized Steel)
SOLI_F_00006942	Lintel Straight Perforated	150	50	3.00	2200	GI (Galvanized Steel)
SOLI_F_00006950	Lintel Straight Perforated	150	50	3.00	2300	GI (Galvanized Steel)
SOLI_F_00006958	Lintel Straight Perforated	150	50	3.00	2400	GI (Galvanized Steel)



Item Number	Description	Height (mm)	Width (mm)	Thickness (mm)	Length (mm)	Material
SOLI_F_00006966	Lintel Straight Perforated	150	50	3.00	2500	GI (Galvanized Steel)
SOLI_F_00006974	Lintel Straight Perforated	150	50	3.00	2600	GI (Galvanized Steel)
SOLI_F_00006982	Lintel Straight Perforated	150	50	3.00	2700	GI (Galvanized Steel)
SOLI_F_00006996	Lintel Straight Perforated	150	50	3.00	2800	GI (Galvanized Steel)
SOLI_F_00007004	Lintel Straight Perforated	150	50	3.00	2900	GI (Galvanized Steel)
SOLI_F_00007012	Lintel Straight Perforated	150	50	3.00	3000	GI (Galvanized Steel)
SOLI_F_00063739	Lintel Straight Perforated	150	50	3.70	2400	GI (Galvanized Steel)
SOLI_F_00064825	Lintel Straight Perforated	150	50	3.80	1200	GI (Galvanized Steel)
SOLI_F_00070789	Lintel Straight Perforated	150	50	3.80	1400	GI (Galvanized Steel)
SOLI_F_00007020	Lintel Straight Perforated	150	50	4.00	1400	GI (Galvanized Steel)
SOLI_F_00007028	Lintel Straight Perforated	150	50	4.00	1500	GI (Galvanized Steel)
SOLI_F_00007036	Lintel Straight Perforated	150	50	4.00	1600	GI (Galvanized Steel)
SOLI_F_00007044	Lintel Straight Perforated	150	50	4.00	1700	GI (Galvanized Steel)
SOLI_F_00007052	Lintel Straight Perforated	150	50	4.00	1800	GI (Galvanized Steel)
SOLI_F_00007060	Lintel Straight Perforated	150	50	4.00	1900	GI (Galvanized Steel)
SOLI_F_00007076	Lintel Straight Perforated	150	50	4.00	2000	GI (Galvanized Steel)
SOLI_F_00007084	Lintel Straight Perforated	150	50	4.00	2100	GI (Galvanized Steel)
SOLI_F_00007092	Lintel Straight Perforated	150	50	4.00	2200	GI (Galvanized Steel)
SOLI_F_00007100	Lintel Straight Perforated	150	50	4.00	2300	GI (Galvanized Steel)
SOLI_F_00007108	Lintel Straight Perforated	150	50	4.00	2400	GI (Galvanized Steel)
SOLI_F_00007116	Lintel Straight Perforated	150	50	4.00	2500	GI (Galvanized Steel)
SOLI_F_00007132	Lintel Straight Perforated	150	50	4.00	2600	GI (Galvanized Steel)
SOLI_F_00007140	Lintel Straight Perforated	150	50	4.00	2700	GI (Galvanized Steel)
SOLI_F_00007148	Lintel Straight Perforated	150	50	4.00	2800	GI (Galvanized Steel)
SOLI_F_00007156	Lintel Straight Perforated	150	50	4.00	2900	GI (Galvanized Steel)
SOLI_F_00007172	Lintel Straight Perforated	150	50	4.00	3000	GI (Galvanized Steel)
SOLI_F_00114207	Lintel Straight Perforated	150	60	3.00	900	GI (Galvanized Steel)
SOLI_F_00007244	Lintel Straight Perforated	150	75	1.80	1400	GI (Galvanized Steel)
SOLI_F_00059947	Lintel Straight Perforated	150	75	2.00	1300	GI (Galvanized Steel)
SOLI_F_00007396	Lintel Straight Perforated	150	75	2.00	1400	GI (Galvanized Steel)
SOLI_F_00059939	Lintel Straight Perforated	150	75	2.00	1500	GI (Galvanized Steel)
SOLI_F_00082599	Lintel Straight Perforated	150	75	2.00	1530	GI (Galvanized Steel)
SOLI_F_00082607	Lintel Straight Perforated	150	75	2.00	1570	GI (Galvanized Steel)
SOLI_F_00082615	Lintel Straight Perforated	150	75	2.00	1600	GI (Galvanized Steel)
SOLI_F_00007388	Lintel Straight Perforated	150	75	2.00	1800	GI (Galvanized Steel)
SOLI_F_00007380	Lintel Straight Perforated	150	75	2.00	2000	GI (Galvanized Steel)
SOLI_F_00007716	Lintel Straight Perforated	150	75	2.50	1000	GI (Galvanized Steel)
SOLI_F_00052497	Lintel Straight Perforated	150	75	2.50	1500	GI (Galvanized Steel)
SOLI_F_00052505	Lintel Straight Perforated	150	75	2.50	1550	GI (Galvanized Steel)
SOLI_F_00072973	Lintel Straight Perforated	150	75	2.50	1800	GI (Galvanized Steel)
SOLI_F_00007700	Lintel Straight Perforated	150	75	2.50	2000	GI (Galvanized Steel)
SOLI_F_00007756	Lintel Straight Perforated	150	75	2.50	2600	GI (Galvanized Steel)
SOLI_F_00052859	Lintel Straight Perforated	150	75	2.50	3000	GI (Galvanized Steel)
SOLI_F_00058149	Lintel Straight Perforated	150	75	3.00	1320	GI (Galvanized Steel)

Item Number	Description	Height (mm)	Width (mm)	Thickness (mm)	Length (mm)	Material
SOLI_F_00008012	Lintel Straight Perforated	150	75	3.00	1400	GI (Galvanized Steel)
SOLI_F_00007932	Lintel Straight Perforated	150	75	3.00	2400	GI (Galvanized Steel)
SOLI_F_00039654	Lintel Straight Perforated	150	75	3.00	2500	GI (Galvanized Steel)
SOLI_F_00052513	Lintel Straight Perforated	150	75	3.00	2800	GI (Galvanized Steel)
SOLI_F_00008308	Lintel Straight Perforated	150	75	4.00	1000	GI (Galvanized Steel)
SOLI_F_00008316	Lintel Straight Perforated	150	75	4.00	1300	GI (Galvanized Steel)
SOLI_F_00008292	Lintel Straight Perforated	150	75	4.00	1500	GI (Galvanized Steel)
SOLI_F_00008300	Lintel Straight Perforated	150	75	4.00	1600	GI (Galvanized Steel)
SOLI_F_00073647	Lintel Straight Perforated	150	75	4.00	1850	GI (Galvanized Steel)
SOLI_F_00008324	Lintel Straight Perforated	150	75	4.00	2000	GI (Galvanized Steel)
SOLI_F_00008332	Lintel Straight Perforated	150	75	4.00	2200	GI (Galvanized Steel)
SOLI_F_00095725	Lintel Straight Perforated	190	100	2.00	2000	GI (Galvanized Steel)
SOLI_F_00095733	Lintel Straight Perforated	190	100	3.00	2500	GI (Galvanized Steel)
SOLI_F_00095701	Lintel Straight Perforated	190	50	2.00	1200	GI (Galvanized Steel)
SOLI_F_00095709	Lintel Straight Perforated	190	50	2.00	1500	GI (Galvanized Steel)
SOLI_F_00095717	Lintel Straight Perforated	190	50	2.00	1700	GI (Galvanized Steel)
SOLI_F_00039598	Lintel Straight Perforated	200	100	1.80	1000	GI (Galvanized Steel)
SOLI_F_00050261	Lintel Straight Perforated	200	100	1.80	1100	GI (Galvanized Steel)
SOLI_F_00039606	Lintel Straight Perforated	200	100	1.80	1200	GI (Galvanized Steel)
SOLI_F_00050269	Lintel Straight Perforated	200	100	1.80	1300	GI (Galvanized Steel)
SOLI_F_00039590	Lintel Straight Perforated	200	100	1.80	1400	GI (Galvanized Steel)
SOLI_F_00050277	Lintel Straight Perforated	200	100	1.80	1500	GI (Galvanized Steel)
SOLI_F_00039614	Lintel Straight Perforated	200	100	1.80	1600	GI (Galvanized Steel)
SOLI_F_00050301	Lintel Straight Perforated	200	100	1.80	1700	GI (Galvanized Steel)
SOLI_F_00050245	Lintel Straight Perforated	200	100	1.80	1900	GI (Galvanized Steel)
SOLI_F_00039622	Lintel Straight Perforated	200	100	1.80	2000	GI (Galvanized Steel)
SOLI_F_00050253	Lintel Straight Perforated	200	100	1.80	2200	GI (Galvanized Steel)
SOLI_F_00039630	Lintel Straight Perforated	200	100	1.80	2300	GI (Galvanized Steel)
SOLI_F_00050237	Lintel Straight Perforated	200	100	1.80	2600	GI (Galvanized Steel)
SOLI_F_00050285	Lintel Straight Perforated	200	100	1.80	2800	GI (Galvanized Steel)
SOLI_F_00008688	Lintel Straight Perforated	200	100	1.80	3000	GI (Galvanized Steel)
SOLI_F_00008526	Lintel Straight Perforated	200	100	2.00	1900	GI (Galvanized Steel)
SOLI_F_00107761	Lintel Straight Perforated	200	100	2.00	2200	GI (Galvanized Steel)
SOLI_F_00008558	Lintel Straight Perforated	200	100	2.00	2400	GI (Galvanized Steel)
SOLI_F_00008566	Lintel Straight Perforated	200	100	2.00	3000	GI (Galvanized Steel)
SOLI_F_00063611	Lintel Straight Perforated	200	100	2.30	1900	GI (Galvanized Steel)
SOLI_F_00063603	Lintel Straight Perforated	200	100	2.30	2400	GI (Galvanized Steel)
SOLI_F_00008614	Lintel Straight Perforated	200	100	2.50	1500	GI (Galvanized Steel)
SOLI_F_00008680	Lintel Straight Perforated	200	100	2.50	1600	GI (Galvanized Steel)
SOLI_F_00058207	Lintel Straight Perforated	200	100	2.50	1800	GI (Galvanized Steel)
SOLI_F_00008606	Lintel Straight Perforated	200	100	2.50	2000	GI (Galvanized Steel)
SOLI_F_00058199	Lintel Straight Perforated	200	100	2.50	2100	GI (Galvanized Steel)
SOLI_F_00008574	Lintel Straight Perforated	200	100	2.50	2200	GI (Galvanized Steel)
SOLI_F_00078437	Lintel Straight Perforated	200	100	2.50	2300	GI (Galvanized Steel)

Item Number	Description	Height (mm)	Width (mm)	Thickness (mm)	Length (mm)	Material
SOLI_F_00008582	Lintel Straight Perforated	200	100	2.50	2400	GI (Galvanized Steel)
SOLI_F_00008622	Lintel Straight Perforated	200	100	2.50	2500	GI (Galvanized Steel)
SOLI_F_00039672	Lintel Straight Perforated	200	100	2.50	3000	GI (Galvanized Steel)
SOLI_F_00063867	Lintel Straight Perforated	200	100	2.80	2100	GI (Galvanized Steel)
SOLI_F_00089933	Lintel Straight Perforated	200	100	3.00	1300	GI (Galvanized Steel)
SOLI_F_00089885	Lintel Straight Perforated	200	100	3.00	1400	GI (Galvanized Steel)
SOLI_F_00091729	Lintel Straight Perforated	200	100	3.00	1450	GI (Galvanized Steel)
SOLI_F_00089893	Lintel Straight Perforated	200	100	3.00	1500	GI (Galvanized Steel)
SOLI_F_00089901	Lintel Straight Perforated	200	100	3.00	1600	GI (Galvanized Steel)
SOLI_F_00089941	Lintel Straight Perforated	200	100	3.00	1700	GI (Galvanized Steel)
SOLI_F_00074575	Lintel Straight Perforated	200	100	3.00	1800	GI (Galvanized Steel)
SOLI_F_00089925	Lintel Straight Perforated	200	100	3.00	1900	GI (Galvanized Steel)
SOLI_F_00091753	Lintel Straight Perforated	200	100	3.00	1950	GI (Galvanized Steel)
SOLI_F_00074893	Lintel Straight Perforated	200	100	3.00	2000	GI (Galvanized Steel)
SOLI_F_00093871	Lintel Straight Perforated	200	100	3.00	2050	GI (Galvanized Steel)
SOLI_F_00107843	Lintel Straight Perforated	200	100	3.00	2200	GI (Galvanized Steel)
SOLI_F_00093831	Lintel Straight Perforated	200	100	3.00	2250	GI (Galvanized Steel)
SOLI_F_00052589	Lintel Straight Perforated	200	100	3.00	2400	GI (Galvanized Steel)
SOLI_F_00093839	Lintel Straight Perforated	200	100	3.00	2450	GI (Galvanized Steel)
SOLI_F_00042398	Lintel Straight Perforated	200	100	3.00	2500	GI (Galvanized Steel)
SOLI_F_00105937	Lintel Straight Perforated	200	100	3.00	2840	GI (Galvanized Steel)
SOLI_F_00089917	Lintel Straight Perforated	200	100	4.00	2200	GI (Galvanized Steel)
SOLI_F_00089909	Lintel Straight Perforated	200	100	4.00	2400	GI (Galvanized Steel)
SOLI_F_00097917	Lintel Straight Perforated	200	110	1.80	2100	GI (Galvanized Steel)
SOLI_F_00097925	Lintel Straight Perforated	200	120	1.80	2200	GI (Galvanized Steel)
SOLI_F_00109621	Lintel Straight Perforated	200	125	1.80	2250	GI (Galvanized Steel)
SOLI_F_00064455	Lintel Straight Perforated	200	125	2.00	2300	GI (Galvanized Steel)
SOLI_F_00105921	Lintel Straight Perforated	200	125	3.00	3000	GI (Galvanized Steel)
SOLI_F_00097933	Lintel Straight Perforated	200	130	1.80	2400	GI (Galvanized Steel)
SOLI_F_00097941	Lintel Straight Perforated	200	130	1.80	2450	GI (Galvanized Steel)
SOLI_F_00109589	Lintel Straight Perforated	200	150	1.80	2450	GI (Galvanized Steel)
SOLI_F_00109613	Lintel Straight Perforated	200	150	1.80	3000	GI (Galvanized Steel)
SOLI_F_00108857	Lintel Straight Perforated	200	150	2.00	2200	GI (Galvanized Steel)
SOLI_F_00114731	Lintel Straight Perforated	200	150	2.00	2400	GI (Galvanized Steel)
SOLI_F_00097949	Lintel Straight Perforated	200	150	2.50	2800	GI (Galvanized Steel)
SOLI_F_00097957	Lintel Straight Perforated	200	150	2.80	3000	GI (Galvanized Steel)
SOLI_F_00074901	Lintel Straight Perforated	200	150	3.00	2200	GI (Galvanized Steel)
SOLI_F_00058191	Lintel Straight Perforated	200	150	3.00	2400	GI (Galvanized Steel)
SOLI_F_00099973	Lintel Straight Perforated	200	150	3.00	2450	GI (Galvanized Steel)
SOLI_F_00041580	Lintel Straight Perforated	200	150	3.00	2800	GI (Galvanized Steel)
SOLI_F_00103133	Lintel Straight Perforated	200	150	3.00	4000	GI (Galvanized Steel)
SOLI_F_00103141	Lintel Straight Perforated	200	150	3.00	4300	GI (Galvanized Steel)
SOLI_F_00108521	Lintel Straight Perforated	200	150	3.00	4400	GI (Galvanized Steel)
SOLI_F_00052605	Lintel Straight Perforated	200	150	4.00	2800	GI (Galvanized Steel)

Item Number	Description	Height (mm)	Width (mm)	Thickness (mm)	Length (mm)	Material
SOLI_F_00005590	Lintel Straight Perforated	200	50	1.50	1000	GI (Galvanized Steel)
SOLI_F_00005598	Lintel Straight Perforated	200	50	1.50	1100	GI (Galvanized Steel)
SOLI_F_00005606	Lintel Straight Perforated	200	50	1.50	1200	GI (Galvanized Steel)
SOLI_F_00005614	Lintel Straight Perforated	200	50	1.50	1300	GI (Galvanized Steel)
SOLI_F_00005622	Lintel Straight Perforated	200	50	1.50	1400	GI (Galvanized Steel)
SOLI_F_00005630	Lintel Straight Perforated	200	50	1.50	1500	GI (Galvanized Steel)
SOLI_F_00005678	Lintel Straight Perforated	200	50	1.80	1000	GI (Galvanized Steel)
SOLI_F_00006030	Lintel Straight Perforated	200	50	1.80	1100	GI (Galvanized Steel)
SOLI_F_00006597	Lintel Straight Perforated	200	50	1.80	1150	GI (Galvanized Steel)
SOLI_F_00006038	Lintel Straight Perforated	200	50	1.80	1200	GI (Galvanized Steel)
SOLI_F_00102679	Lintel Straight Perforated	200	50	1.80	1240	GI (Galvanized Steel)
SOLI_F_00050339	Lintel Straight Perforated	200	50	1.80	1250	GI (Galvanized Steel)
SOLI_F_00006046	Lintel Straight Perforated	200	50	1.80	1300	GI (Galvanized Steel)
SOLI_F_00104475	Lintel Straight Perforated	200	50	1.80	1340	GI (Galvanized Steel)
SOLI_F_00106985	Lintel Straight Perforated	200	50	1.80	1350	GI (Galvanized Steel)
SOLI_F_00006054	Lintel Straight Perforated	200	50	1.80	1400	GI (Galvanized Steel)
SOLI_F_000067361	Lintel Straight Perforated	200	50	1.80	1450	GI (Galvanized Steel)
SOLI_F_00006062	Lintel Straight Perforated	200	50	1.80	1500	GI (Galvanized Steel)
SOLI_F_00106993	Lintel Straight Perforated	200	50	1.80	1550	GI (Galvanized Steel)
SOLI_F_00006070	Lintel Straight Perforated	200	50	1.80	1600	GI (Galvanized Steel)
SOLI_F_00006078	Lintel Straight Perforated	200	50	1.80	1700	GI (Galvanized Steel)
SOLI_F_00005950	Lintel Straight Perforated	200	50	2.00	2100	GI (Galvanized Steel)
SOLI_F_00005958	Lintel Straight Perforated	200	50	2.00	2200	GI (Galvanized Steel)
SOLI_F_00005966	Lintel Straight Perforated	200	50	2.00	2300	GI (Galvanized Steel)
SOLI_F_00005974	Lintel Straight Perforated	200	50	2.00	2400	GI (Galvanized Steel)
SOLI_F_00005982	Lintel Straight Perforated	200	50	2.00	2500	GI (Galvanized Steel)
SOLI_F_00005990	Lintel Straight Perforated	200	50	2.00	2600	GI (Galvanized Steel)
SOLI_F_00005998	Lintel Straight Perforated	200	50	2.00	2700	GI (Galvanized Steel)
SOLI_F_00006006	Lintel Straight Perforated	200	50	2.00	2800	GI (Galvanized Steel)
SOLI_F_00006014	Lintel Straight Perforated	200	50	2.00	2900	GI (Galvanized Steel)
SOLI_F_00006022	Lintel Straight Perforated	200	50	2.00	3000	GI (Galvanized Steel)
SOLI_F_00072989	Lintel Straight Perforated	200	50	2.00	3200	GI (Galvanized Steel)
SOLI_F_00077487	Lintel Straight Perforated	200	50	2.00	3600	GI (Galvanized Steel)
SOLI_F_00081833	Lintel Straight Perforated	200	50	2.00	4000	GI (Galvanized Steel)
SOLI_F_00081657	Lintel Straight Perforated	200	50	2.00	450	GI (Galvanized Steel)
SOLI_F_00081673	Lintel Straight Perforated	200	50	2.00	750	GI (Galvanized Steel)
SOLI_F_00058215	Lintel Straight Perforated	200	50	2.00	800	GI (Galvanized Steel)
SOLI_F_00077479	Lintel Straight Perforated	200	50	2.40	2000	GI (Galvanized Steel)
SOLI_F_00005694	Lintel Straight Perforated	200	50	2.50	1000	GI (Galvanized Steel)
SOLI_F_00005702	Lintel Straight Perforated	200	50	2.50	1100	GI (Galvanized Steel)
SOLI_F_00005710	Lintel Straight Perforated	200	50	2.50	1200	GI (Galvanized Steel)
SOLI_F_00005718	Lintel Straight Perforated	200	50	2.50	1300	GI (Galvanized Steel)
SOLI_F_00005726	Lintel Straight Perforated	200	50	2.50	1400	GI (Galvanized Steel)
SOLI_F_00005902	Lintel Straight Perforated	200	50	2.50	1500	GI (Galvanized Steel)

Item Number	Description	Height (mm)	Width (mm)	Thickness (mm)	Length (mm)	Material
SOLI_F_00005742	Lintel Straight Perforated	200	50	2.50	1600	GI (Galvanized Steel)
SOLI_F_00005750	Lintel Straight Perforated	200	50	2.50	1700	GI (Galvanized Steel)
SOLI_F_00005758	Lintel Straight Perforated	200	50	2.50	1800	GI (Galvanized Steel)
SOLI_F_00005766	Lintel Straight Perforated	200	50	2.50	1900	GI (Galvanized Steel)
SOLI_F_00005774	Lintel Straight Perforated	200	50	2.50	2000	GI (Galvanized Steel)
SOLI_F_00005782	Lintel Straight Perforated	200	50	2.50	2100	GI (Galvanized Steel)
SOLI_F_00005790	Lintel Straight Perforated	200	50	2.50	2200	GI (Galvanized Steel)
SOLI_F_00067709	Lintel Straight Perforated	200	50	2.50	2250	GI (Galvanized Steel)
SOLI_F_00005798	Lintel Straight Perforated	200	50	2.50	2300	GI (Galvanized Steel)
SOLI_F_00067697	Lintel Straight Perforated	200	50	2.50	2350	GI (Galvanized Steel)
SOLI_F_00005806	Lintel Straight Perforated	200	50	2.50	2400	GI (Galvanized Steel)
SOLI_F_00005814	Lintel Straight Perforated	200	50	2.50	2500	GI (Galvanized Steel)
SOLI_F_00005822	Lintel Straight Perforated	200	50	2.50	2600	GI (Galvanized Steel)
SOLI_F_00005830	Lintel Straight Perforated	200	50	2.50	2700	GI (Galvanized Steel)
SOLI_F_00005838	Lintel Straight Perforated	200	50	2.50	2800	GI (Galvanized Steel)
SOLI_F_00005854	Lintel Straight Perforated	200	50	2.50	3000	GI (Galvanized Steel)
SOLI_F_00004280	Lintel Straight Perforated	200	50	3.00	1000	GI (Galvanized Steel)
SOLI_F_00089909	Lintel Straight Perforated	200	100	4.00	2400	GI (Galvanized Steel)
SOLI_F_00097917	Lintel Straight Perforated	200	110	1.80	2100	GI (Galvanized Steel)
SOLI_F_00097925	Lintel Straight Perforated	200	120	1.80	2200	GI (Galvanized Steel)
SOLI_F_00109621	Lintel Straight Perforated	200	125	1.80	2250	GI (Galvanized Steel)
SOLI_F_00064455	Lintel Straight Perforated	200	125	2.00	2300	GI (Galvanized Steel)
SOLI_F_00105921	Lintel Straight Perforated	200	125	3.00	3000	GI (Galvanized Steel)
SOLI_F_00097933	Lintel Straight Perforated	200	130	1.80	2400	GI (Galvanized Steel)
SOLI_F_00097941	Lintel Straight Perforated	200	130	1.80	2450	GI (Galvanized Steel)
SOLI_F_00109589	Lintel Straight Perforated	200	150	1.80	2450	GI (Galvanized Steel)
SOLI_F_00109613	Lintel Straight Perforated	200	150	1.80	3000	GI (Galvanized Steel)
SOLI_F_00108857	Lintel Straight Perforated	200	150	2.00	2200	GI (Galvanized Steel)
SOLI_F_00114731	Lintel Straight Perforated	200	150	2.00	2400	GI (Galvanized Steel)
SOLI_F_00097949	Lintel Straight Perforated	200	150	2.50	2800	GI (Galvanized Steel)
SOLI_F_00097957	Lintel Straight Perforated	200	150	2.80	3000	GI (Galvanized Steel)
SOLI_F_00074901	Lintel Straight Perforated	200	150	3.00	2200	GI (Galvanized Steel)
SOLI_F_00058191	Lintel Straight Perforated	200	150	3.00	2400	GI (Galvanized Steel)
SOLI_F_00099973	Lintel Straight Perforated	200	150	3.00	2450	GI (Galvanized Steel)
SOLI_F_00041580	Lintel Straight Perforated	200	150	3.00	2800	GI (Galvanized Steel)
SOLI_F_00103133	Lintel Straight Perforated	200	150	3.00	4000	GI (Galvanized Steel)
SOLI_F_00103141	Lintel Straight Perforated	200	150	3.00	4300	GI (Galvanized Steel)
SOLI_F_00108521	Lintel Straight Perforated	200	150	3.00	4400	GI (Galvanized Steel)
SOLI_F_00052605	Lintel Straight Perforated	200	150	4.00	2800	GI (Galvanized Steel)
SOLI_F_00005590	Lintel Straight Perforated	200	50	1.50	1000	GI (Galvanized Steel)
SOLI_F_00005598	Lintel Straight Perforated	200	50	1.50	1100	GI (Galvanized Steel)
SOLI_F_00005606	Lintel Straight Perforated	200	50	1.50	1200	GI (Galvanized Steel)
SOLI_F_00005614	Lintel Straight Perforated	200	50	1.50	1300	GI (Galvanized Steel)
SOLI_F_00005622	Lintel Straight Perforated	200	50	1.50	1400	GI (Galvanized Steel)

Item Number	Description	Height (mm)	Width (mm)	Thickness (mm)	Length (mm)	Material
SOLI_F_00005630	Lintel Straight Perforated	200	50	1.50	1500	GI (Galvanized Steel)
SOLI_F_00005678	Lintel Straight Perforated	200	50	1.80	1000	GI (Galvanized Steel)
SOLI_F_00006030	Lintel Straight Perforated	200	50	1.80	1100	GI (Galvanized Steel)
SOLI_F_00065957	Lintel Straight Perforated	200	50	1.80	1150	GI (Galvanized Steel)
SOLI_F_00006038	Lintel Straight Perforated	200	50	1.80	1200	GI (Galvanized Steel)
SOLI_F_00102679	Lintel Straight Perforated	200	50	1.80	1240	GI (Galvanized Steel)
SOLI_F_00050339	Lintel Straight Perforated	200	50	1.80	1250	GI (Galvanized Steel)
SOLI_F_00006046	Lintel Straight Perforated	200	50	1.80	1300	GI (Galvanized Steel)
SOLI_F_00104475	Lintel Straight Perforated	200	50	1.80	1340	GI (Galvanized Steel)
SOLI_F_00106985	Lintel Straight Perforated	200	50	1.80	1350	GI (Galvanized Steel)
SOLI_F_00006054	Lintel Straight Perforated	200	50	1.80	1400	GI (Galvanized Steel)
SOLI_F_00067361	Lintel Straight Perforated	200	50	1.80	1450	GI (Galvanized Steel)
SOLI_F_00006062	Lintel Straight Perforated	200	50	1.80	1500	GI (Galvanized Steel)
SOLI_F_00106993	Lintel Straight Perforated	200	50	1.80	1550	GI (Galvanized Steel)
SOLI_F_00006070	Lintel Straight Perforated	200	50	1.80	1600	GI (Galvanized Steel)
SOLI_F_00006078	Lintel Straight Perforated	200	50	1.80	1700	GI (Galvanized Steel)
SOLI_F_00081657	Lintel Straight Perforated	200	50	2.00	450	GI (Galvanized Steel)
SOLI_F_00081673	Lintel Straight Perforated	200	50	2.00	750	GI (Galvanized Steel)
SOLI_F_00058215	Lintel Straight Perforated	200	50	2.00	800	GI (Galvanized Steel)
SOLI_F_00005950	Lintel Straight Perforated	200	50	2.00	2100	GI (Galvanized Steel)
SOLI_F_00005958	Lintel Straight Perforated	200	50	2.00	2200	GI (Galvanized Steel)
SOLI_F_00005966	Lintel Straight Perforated	200	50	2.00	2300	GI (Galvanized Steel)
SOLI_F_00005974	Lintel Straight Perforated	200	50	2.00	2400	GI (Galvanized Steel)
SOLI_F_00005982	Lintel Straight Perforated	200	50	2.00	2500	GI (Galvanized Steel)
SOLI_F_00005990	Lintel Straight Perforated	200	50	2.00	2600	GI (Galvanized Steel)
SOLI_F_00005998	Lintel Straight Perforated	200	50	2.00	2700	GI (Galvanized Steel)
SOLI_F_00006006	Lintel Straight Perforated	200	50	2.00	2800	GI (Galvanized Steel)
SOLI_F_00006014	Lintel Straight Perforated	200	50	2.00	2900	GI (Galvanized Steel)
SOLI_F_00006022	Lintel Straight Perforated	200	50	2.00	3000	GI (Galvanized Steel)
SOLI_F_00072989	Lintel Straight Perforated	200	50	2.00	3200	GI (Galvanized Steel)
SOLI_F_00077487	Lintel Straight Perforated	200	50	2.00	3600	GI (Galvanized Steel)
SOLI_F_00081833	Lintel Straight Perforated	200	50	2.00	4000	GI (Galvanized Steel)
SOLI_F_00081657	Lintel Straight Perforated	200	50	2.00	450	GI (Galvanized Steel)
SOLI_F_00081673	Lintel Straight Perforated	200	50	2.00	750	GI (Galvanized Steel)
SOLI_F_00058215	Lintel Straight Perforated	200	50	2.00	800	GI (Galvanized Steel)
SOLI_F_00077479	Lintel Straight Perforated	200	50	2.40	2000	GI (Galvanized Steel)
SOLI_F_00005694	Lintel Straight Perforated	200	50	2.50	1000	GI (Galvanized Steel)
SOLI_F_00005702	Lintel Straight Perforated	200	50	2.50	1100	GI (Galvanized Steel)
SOLI_F_00005710	Lintel Straight Perforated	200	50	2.50	1200	GI (Galvanized Steel)
SOLI_F_00005718	Lintel Straight Perforated	200	50	2.50	1300	GI (Galvanized Steel)
SOLI_F_00005726	Lintel Straight Perforated	200	50	2.50	1400	GI (Galvanized Steel)
SOLI_F_00005902	Lintel Straight Perforated	200	50	2.50	1500	GI (Galvanized Steel)
SOLI_F_00005742	Lintel Straight Perforated	200	50	2.50	1600	GI (Galvanized Steel)
SOLI_F_00005750	Lintel Straight Perforated	200	50	2.50	1700	GI (Galvanized Steel)
SOLI_F_00005758	Lintel Straight Perforated	200	50	2.50	1800	GI (Galvanized Steel)



Item Number	Description	Height (mm)	Width (mm)	Thickness (mm)	Length (mm)	Material
SOLI_F_00005766	Lintel Straight Perforated	200	50	2.50	1900	GI (Galvanized Steel)
SOLI_F_00005774	Lintel Straight Perforated	200	50	2.50	2000	GI (Galvanized Steel)
SOLI_F_00005774	Lintel Straight Perforated	200	50	2.50	2000	GI (Galvanized Steel)
SOLI_F_00005782	Li intel Straight Perforated	200	50	2.50	2100	GI (Galvanized Steel)
SOLI_F_00005790	Lintel Straight Perforated	200	50	2.50	2200	GI (Galvanized Steel)
SOLI_F_00067709	Lintel Straight Perforated	200	50	2.50	2250	GI (Galvanized Steel)
SOLI_F_00005798	Lintel Straight Perforated	200	50	2.50	2300	GI (Galvanized Steel)
SOLI_F_00067697	Lintel Straight Perforated	200	50	2.50	2350	GI (Galvanized Steel)
SOLI_F_00005806	Lintel Straight Perforated	200	50	2.50	2400	GI (Galvanized Steel)
SOLI_F_00005814	Lintel Straight Perforated	200	50	2.50	2500	GI (Galvanized Steel)
SOLI_F_00005822	Lintel Straight Perforated	200	50	2.50	2600	GI (Galvanized Steel)
SOLI_F_00005830	Lintel Straight Perforated	200	50	2.50	2700	GI (Galvanized Steel)
SOLI_F_00005838	Lintel Straight Perforated	200	50	2.50	2800	GI (Galvanized Steel)
SOLI_F_00005854	Lintel Straight Perforated	200	50	2.50	3000	GI (Galvanized Steel)
SOLI_F_00004280	Lintel Straight Perforated	200	50	3.00	1000	GI (Galvanized Steel)
SOLI_F_00104285	Lintel Straight Perforated	250	50	1.80	1700	GI (Galvanized Steel)
SOLI_F_00054537	Lintel Straight Perforated	250	50	1.80	1800	GI (Galvanized Steel)
SOLI_F_00071499	Lintel Straight Perforated	250	50	1.80	2000	GI (Galvanized Steel)
SOLI_F_00115783	Lintel Straight Perforated	250	50	1.80	2100	GI (Galvanized Steel)
SOLI_F_00042032	Lintel Straight Perforated	250	50	1.80	2200	GI (Galvanized Steel)
SOLI_F_00080049	Lintel Straight Perforated	250	50	1.80	2300	GI (Galvanized Steel)
SOLI_F_00115791	Lintel Straight Perforated	250	50	1.80	2400	GI (Galvanized Steel)
SOLI_F_00107859	Lintel Straight Perforated	250	50	1.80	2600	GI (Galvanized Steel)
SOLI_F_00048436	Lintel Straight Perforated	250	50	1.80	3000	GI (Galvanized Steel)
SOLI_F_00047572	Lintel Straight Perforated	250	50	2.00	1000	GI (Galvanized Steel)
SOLI_F_00067401	Lintel Straight Perforated	250	50	2.00	1100	GI (Galvanized Steel)
SOLI_F_00042406	Lintel Straight Perforated	250	50	2.00	1200	GI (Galvanized Steel)
SOLI_F_00081625	Lintel Straight Perforated	250	50	2.00	1300	GI (Galvanized Steel)
SOLI_F_00092659	Lintel Straight Perforated	250	50	2.00	1350	GI (Galvanized Steel)
SOLI_F_00079629	Lintel Straight Perforated	250	50	2.00	1400	GI (Galvanized Steel)
SOLI_F_00081633	Lintel Straight Perforated	250	50	2.00	1500	GI (Galvanized Steel)
SOLI_F_00081641	Lintel Straight Perforated	250	50	2.00	1600	GI (Galvanized Steel)
SOLI_F_00047548	Lintel Straight Perforated	250	50	2.00	1700	GI (Galvanized Steel)
SOLI_F_00054807	Lintel Straight Perforated	250	50	2.00	1800	GI (Galvanized Steel)
SOLI_F_00062845	Lintel Straight Perforated	250	50	2.00	2000	GI (Galvanized Steel)
SOLI_F_00047556	Lintel Straight Perforated	250	50	2.00	2100	GI (Galvanized Steel)
SOLI_F_00062885	Lintel Straight Perforated	250	50	2.00	2150	GI (Galvanized Steel)
SOLI_F_00062861	Lintel Straight Perforated	250	50	2.00	2200	GI (Galvanized Steel)
SOLI_F_00062877	Lintel Straight Perforated	250	50	2.00	2300	GI (Galvanized Steel)
SOLI_F_00045814	Lintel Straight Perforated	250	50	2.00	2400	GI (Galvanized Steel)
SOLI_F_00047564	Lintel Straight Perforated	250	50	2.00	2500	GI (Galvanized Steel)
SOLI_F_00062869	Lintel Straight Perforated	250	50	2.00	2550	GI (Galvanized Steel)
SOLI_F_00079637	Lintel Straight Perforated	250	50	2.00	2600	GI (Galvanized Steel)
SOLI_F_00079645	Lintel Straight Perforated	250	50	2.00	2800	GI (Galvanized Steel)

Item Number	Description	Height (mm)	Width (mm)	Thickness (mm)	Length (mm)	Material
SOLI_F_00079637	Lintel Straight Perforated	250	50	2.00	2600	GI (Galvanized Steel)
SOLI_F_00079645	Lintel Straight Perforated	250	50	2.00	2800	GI (Galvanized Steel)
SOLI_F_00077241	Lintel Straight Perforated	250	50	2.00	3000	GI (Galvanized Steel)
SOLI_F_00067409	Lintel Straight Perforated	250	50	2.00	3100	GI (Galvanized Steel)
SOLI_F_00112767	Lintel Straight Perforated	250	50	2.80	1200	GI (Galvanized Steel)
SOLI_F_00086489	Lintel Straight Perforated	250	50	2.80	2000	GI (Galvanized Steel)
SOLI_F_00086575	Lintel Straight Perforated	250	50	2.80	2100	GI (Galvanized Steel)
SOLI_F_00086567	Lintel Straight Perforated	250	50	2.80	2600	GI (Galvanized Steel)
SOLI_F_00063181	Lintel Straight Perforated	250	50	2.80	2900	GI (Galvanized Steel)
SOLI_F_00064473	Lintel Straight Perforated	250	50	3.00	1000	GI (Galvanized Steel)
SOLI_F_00042342	Lintel Straight Perforated	250	50	3.00	1200	GI (Galvanized Steel)
SOLI_F_00061935	Lintel Straight Perforated	250	50	3.00	3000	GI (Galvanized Steel)
SOLI_F_00076963	Lintel Straight Perforated	250	50	3.00	3150	GI (Galvanized Steel)
SOLI_F_00076953	Lintel Straight Perforated	250	50	3.00	3750	GI (Galvanized Steel)
SOLI_F_00051275	Lintel Straight Perforated	250	75	1.80	1410	GI (Galvanized Steel)
SOLI_F_00007252	Lintel Straight Perforated	250	75	1.80	1440	GI (Galvanized Steel)
SOLI_F_00065233	Lintel Straight Perforated	250	75	1.80	1500	GI (Galvanized Steel)
SOLI_F_00051267	Lintel Straight Perforated	250	75	1.80	1800	GI (Galvanized Steel)
SOLI_F_00086765	Lintel Straight Perforated	250	75	1.80	1950	GI (Galvanized Steel)
SOLI_F_00051283	Lintel Straight Perforated	250	75	1.80	2040	GI (Galvanized Steel)
SOLI_F_00051291	Lintel Straight Perforated	250	75	1.80	2440	GI (Galvanized Steel)
SOLI_F_00007516	Lintel Straight Perforated	250	75	2.00	1400	GI (Galvanized Steel)
SOLI_F_00007420	Lintel Straight Perforated	250	75	2.00	1440	GI (Galvanized Steel)
SOLI_F_00107829	Lintel Straight Perforated	250	75	2.00	1500	GI (Galvanized Steel)
SOLI_F_00107811	Lintel Straight Perforated	250	75	2.00	1550	GI (Galvanized Steel)
SOLI_F_00007508	Lintel Straight Perforated	250	75	2.00	1600	GI (Galvanized Steel)
SOLI_F_00007340	Lintel Straight Perforated	250	75	2.00	1800	GI (Galvanized Steel)
SOLI_F_00103233	Lintel Straight Perforated	250	75	2.00	1950	GI (Galvanized Steel)
SOLI_F_00007500	Lintel Straight Perforated	250	75	2.00	2400	GI (Galvanized Steel)
SOLI_F_00007348	Lintel Straight Perforated	250	75	2.00	2440	GI (Galvanized Steel)
SOLI_F_00007556	Lintel Straight Perforated	250	75	2.00	3000	GI (Galvanized Steel)
SOLI_F_00007620	Lintel Straight Perforated	250	75	2.50	1300	GI (Galvanized Steel)
SOLI_F_00007652	Lintel Straight Perforated	250	75	2.50	1400	GI (Galvanized Steel)
SOLI_F_00007668	Lintel Straight Perforated	250	75	2.50	1450	GI (Galvanized Steel)
SOLI_F_00007212	Lintel Straight Perforated	250	75	2.50	1500	GI (Galvanized Steel)
SOLI_F_00007594	Lintel Straight Perforated	250	75	2.50	1600	GI (Galvanized Steel)
SOLI_F_00007204	Lintel Straight Perforated	250	75	2.50	1700	GI (Galvanized Steel)
SOLI_F_00007740	Lintel Straight Perforated	250	75	2.50	2000	GI (Galvanized Steel)
SOLI_F_00059717	Lintel Straight Perforated	250	75	2.50	2800	GI (Galvanized Steel)
SOLI_F_00054629	Lintel Straight Perforated	250	75	2.80	1000	GI (Galvanized Steel)
SOLI_F_00054597	Lintel Straight Perforated	250	75	2.80	1400	GI (Galvanized Steel)
SOLI_F_00054605	Lintel Straight Perforated	250	75	2.80	1600	GI (Galvanized Steel)
SOLI_F_00007804	Lintel Straight Perforated	250	75	2.80	3000	GI (Galvanized Steel)
SOLI_F_00086953	Lintel Straight Perforated	250	75	2.80	4000	GI (Galvanized Steel)